



**iSmartIMMO 801**

# iSmartIMMO 801

Professional Vehicle Anti-theft Matching  
Programming Tool



## Features

- Perfect combination of diagnostic equipment and anti-theft programmer, including anti-theft matching, anti-theft programmer, diagnosis, maintenance and other multi-functional modules, one machine with multi-function, high cost performance.
- Integrated key matching / copy, Vehicle anti-theft chip read-write, Vehicle computer read-write and other functions, read-write data quickly and accurately.
- Professional industrial design, push to push structure joint warehouse design joint is not easy to lose.
- Closed Android 10 customized system, system running more smoothly.

## Advantages

- Integrated functions of key matching/copy, vehicle anti-theft IC reading and writing, ECU reading and writing, etc
- Support common ECU/MCU/EEPROM major manufacturers with more than 1,000 product models and updating
- Support Volkswagen/Audi non-35xx, nec24c64 14+ instrument replacement without disassembly and original data
- Support ECU replacement for the 4th-generation engine of Volkswagen/ Audi gearbox
- Support ECU replacement for the 5th generation of Volkswagen/ Audi and Simens gearbox
- Support the all loss and replacement for the 4th-generation of Audi EZS, Comfort ECU, and KESSY IC
- Support Volkswagen/Audi MQB platform gearbox replacement or clone
- Support BMW E, F, G chassis 8HP gearbox flushing
- Support replacement of BMW CAS4/CAS4+ module
- Support replacement or clone for Volkswagen/Audi MQB platform gearbox
- Wipe out password of engine and gear box in 3 seconds of Mercedes-Benz
- Calculate password in 1min when adding new key for Mercedes-Benz

## Supported Equipments



iSmartADAS Mobile



iSmartADAS PRO+



iSmartATF 601



iSmartIMMO G3

# Main Functions



Anti-theft  
Matching



Anti-theft  
Programmer



Diagnose




Reset



Update



Feedback



## iSmartIMMO 801

Host		VCI	
CPU	4 Core 1.8GHz	Working Voltage	12V
System	Android	Working Current	≤60 mA
Memory	4 GB	Input Voltage	9~18V DC
Storage	64 GB	Communication	BT、USB
Display	8 inch	Working Temperature	0-50°C
Resolution	1280×800	Storage Temperature	-10~60°C
Battery Capacity	6300mAh/7.6V		
Camera	8MP		
Wi-Fi	2.4GHz/5GHz		
Working Temperature	0~45°C		
Storage Temperature	-10~60°C		